























**LOSE THE
GREASE!**




MINIMIZER PRODUCTS:

5TH WHEEL SLICK PLATE

HOLLAND	Model: FW35 Height: 32.5" Width: 34.5"		Part # 100061
	Model: FW17 Height: 26.5" Width: 35.5"		Part # 100067
	Model: FWS1 Height: 25.5" Width: 36"		Part # 100072
	Model: FWAL, FW31, FW33 Height: 22.25" Width: 16.25"		Part # 102916
FONTAINE	Model: 7000 Height: 30" Width: 35"		Part # 100077
	Model: 5092 (No Slack I) Height: 32" Width: 35.5"		Part # 100081
JOST	Model: JSK37F Height: 30" Width: 35.5"		Part # 100086
	Model: JSK37U Height: 29.5" Width: 35.5"		Part # 103090
ASF	Model: CASTLOC Height: 36.5" Width: 36.5"		Part # 100096
SIMPLEX	Model: Simplex SE Height: 25.5" Width: 36"		Part # 100090
	Model: Simplex II Height: 33" Width: 36"		Part # 100094
REESE	Model: 18K, 20K & 25K Height: 15.5" Width: 19"		Part # 100100
ROBIN INDUSTRIES	Model: 15K Height: 14" Width: 11.5"		Part # 100164
RV 5 th WHEEL	Model: Fits Most Models Height: 15" Width: 11.5"		Part # 100165


Model: FW3500 & FW2535 Height: 32.5" Width: 37"		Part # 100065
Model: FW8 Height: 29" Width: 35.5"		Part # 100070
Model: FW6000 Height: 26" Width: 20.5"		Part # 100074
Model: 6000 (No Slack II) Height: 30" Width: 35"		Part # 100079
Model: 3000 Height: 26.5" Width: 35"		Part # 100083
Model: JSK37H Height: 31.5" Width: 35"		Part # 100088

REPLACEMENT PARTS	Hardware Kit (ram bars not included)	Part #: 100062
	2.5" Ram Bar	Part #: 100084
	3.5" Ram Bar	Part #: 100075
	5.75" Ram Bar	Part #: 100068
	7.25" Ram Bar	Part #: 100063



HARDWARE INCLUDED WITH ALL KITS

*Illustrations above not shown to scale. Don't see your model? Templates can be produced for most models on the market.




- The Minimizer Slick Plate's non-stick polymer surface eliminates the need to grease the 5th wheel plate.
- The plate protects all critical areas from wear and tear from use or the elements, without compromising the surface of the 5th wheel plate.
- Kits come complete with pre-drilled polyethylene plate, ram bars and all necessary mounting hardware.
- Minimizer 5 year warranty.
- Many makes and models available including: Holland, Fontaine, Jost, ASF Simplex, Reese, & Robin Industries.
- **INSERT STYLE SLICK PLATE NOW AVAILABLE FOR HOLLAND FWAL, FW31 & FW33 MODELS!**

NOT SURE WHICH STYLE WILL FIT?

Use the height, width, and throat dimensions to help!

A: Height









B: Width



CALL 1-800-248-3855 OR VISIT WWW.MINIMIZER.COM TO LEARN MORE ABOUT CURRENT AVAILABLE SLICK PLATE MODELS AND FUTURE RELEASES!

MINIMIZER PRODUCTS:

TRAILER SLICK PLATE

Part #	Dimensions	King Pin Setback	
102340	36" x 26" x 1/4"	12" - 14"	
102346	36" x 28" x 1/4"	15" - 17"	
102344	36" x 30" x 1/4"	18" - 20"	
102345	36" x 33" x 1/4"	21" - 24"	
102347	36" x 37" x 1/4"	25" - 27"	
102348	36" x 43" x 1/4"	28" - 30"	
102341	36" x 45" x 1/4"	31" - 36"	
102342	36" x 48" x 1/4"	37" - 52"	
102343	36" x 30" x 1/4"	Frameless Dump	

*Kits come complete with Trailer Slick Plate and all necessary mounting hardware



The Minimizer Trailer Slick Plates promote a cleaner environment by removing the need for greasing the trailer coupler plate and is a good alternative when you cannot use the Minimizer 5TH Wheel Slick Plate*.

- Reduces wear on 5th wheels & Upper Coupler.
- Eliminates the need to grease.
- Installs on existing and new trailers.
- Increases steer tire life.
- Easier trailer handling for drivers.
- A strong, self-lubricating solid polymer plate.
- Designed for frequent hook and drop applications.
- Available in many different sizes.



***Warning: DO NOT use a Minimizer 5th Wheel Slick Plate, Trailer Slick Plate, Slick Disk, or a Mfg Low Lube 5th Wheel Topplate in conjunction with one another. Doing so could cause a coupling failure. DO NOT INSTALL the Trailer Slick Plate if it extends past the front edge of the trailer or the upper bolster plate.**


NOT SURE WHICH STYLE WILL FIT?

Use the height, width, and king pin setback dimensions to help!

A: Height

B: Width

C: KP Setback



KP Setback = Measurement from the front edge of the trailer to the center of the king pin.

CALL 1-800-248-3855 OR VISIT WWW.MINIMIZER.COM TO LEARN MORE ABOUT CURRENT AVAILABLE TRAILER SLICK PLATE MODELS AND FUTURE RELEASES!

MINIMIZER PRODUCTS:
SLICK DISK



SLICK. JUST LIKE THE REST OF OUR PRODUCTS.

- Protects the 5th wheel against friction and wear that can be caused by normal towing
- Nearly eliminates the need for greasing the face of the 5th wheel plate
- Installs in minutes
- Disk comes with clip (Part# PACCSLICKCLIP)
- Please reference Part# ACCSLICK32ASSY



WE HAVE THE PERFECT SLICK PRODUCT FOR YOU!

Save time and money with products that will make you the envy
of the entire industry.



CALL 1-800-248-3855 OR VISIT WWW.MINIMIZER.COM TO LEARN MORE!



Minimizer, LLC

500 Minimizer Way, Blooming Prairie, MN 55917

1-800-248-3855 | Fax: 507-583-7540

www.minimizer.com